

REFERENCES TO 1989 CODE

| <i>1989 Code</i> | <i>2016 Code</i> |
|------------------|-----------------------|
| 1.010 | 10.02 |
| 1.050 | 10.99 |
| 1A.00.00 | 150.01 |
| 1A.01.00 | 150.02 |
| 1A.02.00 | 150.03 |
| 1A.03.00 | 150.04 |
| 1A.04.00 | 150.05 |
| 1A.05.00 | 150.06 |
| 1A.06.00 | 150.07 |
| 1A.07.00 | 150.08 |
| 1A.08.00 | 150.09 |
| 1A.09.00 | 150.10 |
| 1A.10.00 | 10.99, 150.99 |
| 2.000 | 112.01 |
| 2.011 | 112.15 |
| 2.012 | 112.16 |
| 2.013 | 112.17 |
| 2.014 | 112.18 |
| 2.015 | 112.19 |
| 2.016 | 10.99, 112.20, 112.99 |
| 2.017 | 112.21 |
| 2.018 | 112.22 |
| 2.019 | 112.23 |
| 2.020 | 112.02 |
| 4.000 | 91.15 |
| 4.010 | 91.16 |
| 4.020 | 91.17 |
| 4.030 | 91.18 |
| 4.040 | 91.19 |
| 4.110 | 91.20 |
| 4.120 | 91.20 |
| 4.130 | 91.20 |
| 4.140 | 91.20 |

Port Sanilac - Parallel References

| <i>1989 Code</i> | <i>2016 Code</i> |
|------------------|----------------------|
| 4.200 | 91.01 |
| 4.210 | 91.02 |
| 4.220 | 91.03 |
| 4.300 | 91.04 |
| 4.310 | 91.04 |
| 4.400 | 91.99 |
| 4.410 | 91.99 |
| 6.1000 | 10.25 |
| 6.2000 | 10.26 |
| 6.3000 | 10.27 |
| 6.4000 | 10.28 |
| 6.5000 | 10.29 |
| 7.01.00 | 30.01 |
| 7.01.01 | 30.01 |
| 7.01.02 | 30.01 |
| 7.01.03 | 30.01 |
| 7.01.04 | 30.01 |
| 7.02.00 | 30.15 |
| 7.02.01 | 30.15 |
| 7.03.01 | 30.16 |
| 7.03.02 | 30.16 |
| 7.03.03 | 30.16 |
| 7.03.04 | 30.16 |
| 7.03.05 | 30.16 |
| 7.04.01 | 30.02 |
| 7.04.02 | 30.02 |
| 7.05.01 | 30.03 |
| 7.05.02 | 30.03 |
| 10.000 | 31.25 |
| 10.010 | 31.26 |
| 10.020 | 31.27 |
| 10.030 | 31.28 |
| 10.040 | 31.29 |
| 10.050 | 31.30, TSO Table III |
| 10.060 | 31.31 |
| 10.070 | 31.32 |
| 11.000 | 32.30 |
| 11.010 | 32.31 |

References to 1989 Code

| <i>1989 Code</i> | <i>2016 Code</i> |
|------------------|------------------|
| 11.020 | 32.32 |
| 11.030 | 32.33 |
| 11.040 | 32.34 |
| 11.050 | 32.35 |
| 11.060 | 32.36 |
| 12.00.00 | 111.01 |
| 12.01.00 | 111.02 |
| 12.02.00 | 111.03 |
| 12.03.00 | 111.04 |
| 12.04.00 | 111.05 |
| 12.05.00 | 111.06 |
| 12.06.00 | 111.07 |
| 12.07.00 | 10.99 |
| 12.08.00 | 111.08 |
| 12A.00.00 | 152.01 |
| 12A.01.00 | 152.02 |
| 12A.02.00 | 152.03 |
| 13.000 | 50.01 |
| 13.010 | 50.02 |
| 13.020 | 50.03 |
| 13.030 | 50.04 |
| 13.040 | 50.05 |
| 13.050 | 50.06 |
| 13.060 | 10.99 |
| 14.800 | 93.99 |
| 14.1000 | 31.01 |
| 14.1100 | 31.02 |
| 14.1210 | 31.02 |
| 14.1220 | 31.02 |
| 14.1230 | 31.02 |
| 14.1300 | 31.03 |
| 14.1400 | 31.04 |
| 14.1410 | 31.04 |
| 14.1420 | 31.04 |
| 14.1500 | 31.05 |
| 14.2000 | 31.06 |
| 14.2100 | 31.06 |
| 14.2210 | 31.07 |

Port Sanilac - Parallel References

| <i>1989 Code</i> | <i>2016 Code</i> |
|------------------|------------------|
| 14.2220 | 31.07 |
| 14.2310 | 31.08 |
| 14.2320 | 31.08 |
| 14.2410 | 31.09 |
| 14.2420 | 31.09 |
| 14.3010 | 31.10 |
| 14.3020 | 31.10 |
| 14.3200 | 31.10 |
| 14.3300 | 31.10 |
| 14.3410 | 31.11 |
| 14.3420 | 31.11 |
| 14.3430 | 31.11 |
| 14.3440 | 31.11 |
| 14.3510 | 31.12 |
| 14.3520 | 31.12 |
| 14.4000 | 93.01 |
| 14.4100 | 93.02 |
| 14.4200 | 93.03 |
| 14.4300 | 93.04 |
| 14.4400 | 93.05 |
| 14.4510 | 93.25 |
| 14.4520 | 93.26, 93.99 |
| 14.4530 | 93.27 |
| 14.4540 | 93.28 |
| 14.4550 | 93.29 |
| 14.4560 | 93.30 |
| 14.4570 | 93.31 |
| 14.4600 | 93.06 |
| 14.5000 | 93.07 |
| 14.5100 | 93.45 |
| 14.5120 | 93.46 |
| 14.5130 | 93.47 |
| 14.5140 | 93.48 |
| 14.5200 | 93.08 |
| 14.5300 | 93.09 |
| 14.6000 | 93.60 |
| 14.6010 | 93.60 |
| 14.6020 | 93.61 |
| 14.6030 | 93.62 |
| 14.6040 | 93.63 |
| 14.6100 | 93.64 |

References to 1989 Code

| <i>1989 Code</i> | <i>2016 Code</i> |
|------------------|------------------|
| 14.6200 | 93.10 |
| 14.7000 | 93.11 |
| 14.7100 | 93.11 |
| 14.7200 | 93.11 |
| 17.000 | 92.01 |
| 17.010 | 92.02 |
| 17.020 | 92.03 |
| 17.030 | 92.04 |
| 17.040 | 92.05 |
| 17.050 | 92.06 |
| 17.060 | 92.07 |
| 17.070 | 92.08 |
| 17.080 | 92.09 |
| 18.000 | 130.01 |
| 18.110 | 130.02 |
| 18.120 | 10.99 |
| 18.200 | 130.15 |
| 18.205 | 130.16 |
| 18.210 | 130.16 |
| 18.215 | 130.17 |
| 18.220 | 130.18 |
| 18.225 | 130.19 |
| 18.235 | 130.20 |
| 18.240 | 130.21 |
| 18.245 | 130.22 |
| 18.250 | 130.23 |
| 18.255 | 130.24 |
| 18.260 | 130.25 |
| 18.265 | 130.26 |
| 18.270 | 130.26 |
| 18.275 | 130.27 |
| 18.280 | 130.28 |
| 18.285 | 130.29 |
| 18.290 | 130.30 |
| 18.295 | 130.31 |
| 18.300 | 130.32 |
| 18.305 | 130.33 |
| 18.310 | 130.34 |
| 18.315 | 130.27 |
| 18.320 | 130.22 |
| 18.325 | 130.35 |

Port Sanilac - Parallel References

| <i>1989 Code</i> | <i>2016 Code</i> |
|------------------|------------------|
| 18.330 | 130.36 |
| 18.335 | 130.36 |
| 18.340 | 130.36 |
| 18.345 | 130.37 |
| 18.350 | 130.33 |
| 18.355 | 130.33 |
| 18.360 | 130.33 |
| 18.365 | 130.33 |
| 18.370 | 130.38 |
| 20.000 | 113.01 |
| 20.010 | 113.02 |
| 20.020 | 113.03 |
| 20.030 | 113.04 |
| 20.040 | 113.05 |
| 20.050 | 113.06 |
| 20.060 | 113.07 |
| 20.070 | 113.08 |
| 20.080 | 113.09 |
| 20.090 | 113.10 |
| 20.100 | 10.99 |
| 21.000 | 32.50 |
| 21.010 | 32.51 |
| 21.020 | 32.52 |
| 21.030 | 32.53 |
| 21.040 | 32.54 |
| 21.050 | 32.55 |
| 21.060 | 32.56 |
| 22.01.00 | 110.01 |
| 22.02.00 | 110.02 |
| 22.03.00 | 110.03 |
| 22.04.00 | 110.04 |
| 22.05.00 | 111.05 |
| 22.06.00 | 110.06 |
| 22.07.00 | 110.07 |
| 22.08.00 | 110.08 |
| 22.09.00 | 110.09 |
| 22.10.01 | 10.99, 110.99 |
| 22.11.01 | 10.99, 110.99 |
| 23.100 | 151.20 |
| 23.110 | 151.21 |
| 23.120 | 151.22 |

References to 1989 Code

| <i>1989 Code</i> | <i>2016 Code</i> |
|------------------|------------------|
| 23.130 | 151.23 |
| 23.140 | 151.24 |
| 23.150 | 151.25 |
| 23.160 | 151.26 |
| 23.170 | 151.27 |
| 23.180 | 10.99 |
| 23.200 | 151.40 |
| 23.210 | 151.41 |
| 23.300 | 151.28 |
| 24.000 | 71.01 |
| 24.010 | 71.02 |
| 24.020 | 71.03 |
| 24.030 | 71.04 |
| 24.040 | 71.05 |
| 24.050 | 71.06 |
| 24.060 | 71.07 |
| 25.000 | 33.01 |
| 25.010 | 33.02 |
| 25.020 | 33.03 |
| 25.030 | 33.04 |
| 25.040 | 33.05 |
| 25.050 | 33.06 |
| 25.060 | 33.07 |
| 25.070 | 33.08 |
| 25.080 | 33.08 |
| 25.090 | 33.09 |
| 25.100 | 33.10 |
| 25.110 | 33.11 |
| 25.120 | 33.12 |
| 25.130 | 33.13 |
| 25.140 | 33.14 |
| 25.150 | 33.15 |
| 25.160 | 33.16 |
| 25.170 | 33.17 |
| 25.180 | 33.18 |
| 25.190 | 33.19 |
| 26.100 | 151.01 |
| 26.110 | 151.02 |
| 26.120 | 151.03 |
| 26.130 | 151.04 |
| 26.140 | 151.05 |

Port Sanilac - Parallel References

| <i>1989 Code</i> | <i>2016 Code</i> |
|------------------|--------------------|
| 26.200 | TSO Table II |
| 26.210 | TSO Table II |
| 28.00 | 70.01 |
| 28.010 | 70.02 |
| 28.020 | 70.03 |
| 28.030 | 70.04 |
| 28.040 | 10.99, 70.05 |
| 29.000 | TSO Table I |
| 29.010 | TSO Table I |
| 29.020 | TSO Table I |
| 30.000 | 92.20 |
| 30.010 | 92.21 |
| 30.020 | 92.22 |
| 30.040 | 92.23 |
| 30.060 | 92.24 |
| 30.070 | 92.25 |
| 31.01.01 | 90.01 |
| 31.01.02 | 90.02 |
| 31.01.03 | 90.03 |
| 31.02.01 | 90.15C90.21, 90.99 |
| App. A, Schd. | 10.99, 52.23 |
| App. A, ' 1.000 | 52.20 |
| App. A, ' 1.010 | 52.21 |
| App. A, ' 1.020 | 52.22 |
| App. A, ' 1.030 | 52.23 |
| App. A, ' 1.040 | 52.24 |
| App. A, ' 1.050 | 52.25 |
| App. A, ' 1.060 | 52.26 |
| App. A, ' 1.070 | 52.27 |
| App. A, ' 1.080 | 52.28 |
| App. A, ' 1.090 | 52.29 |
| App. B, ' 1.010 | 52.01 |
| App. B, ' 1.020 | 52.01 |
| App. B, ' 1.030 | 52.01 |
| App. B, ' 1.040 | 52.01 |
| App. B, ' 1.050 | 52.01 |
| App. B, ' 1.060 | 52.01 |
| App. B, ' 1.070 | 52.01 |
| App. B, ' 1.080 | 52.01 |

References to 1989 Code

| <i>1989 Code</i> | <i>2016 Code</i> |
|------------------|------------------|
| App. B, ' 1.090 | 52.01 |
| App. B, ' 1.100 | 52.01 |
| App. B, ' 1.110 | 52.01 |
| App. B, ' 1.120 | 52.01 |
| App. B, ' 1.130 | 52.01 |
| App. B, ' 1.140 | 52.01 |
| App. B, ' 1.150 | 52.01 |
| App. B, ' 1.160 | 52.01 |
| App. B, ' 1.170 | 52.01 |
| App. B, ' 1.180 | 52.01 |
| App. B, ' 1.190 | 52.01 |
| App. B, ' 1.200 | 52.01 |
| App. B, ' 1.210 | 52.01 |
| App. B, ' 1.220 | 52.01 |
| App. B, ' 2.000 | 52.02 |
| App. B, ' 2.010 | 52.02 |
| App. B, ' 2.020 | 52.02 |
| App. B, ' 2.030 | 52.02 |
| App. B, ' 3.000 | 52.03 |
| App. B, ' 3.010 | 52.03 |
| App. B, ' 3.020 | 52.03 |
| App. B, ' 3.030 | 52.03 |
| App. B, ' 3.040 | 52.03 |
| App. B, ' 3.050 | 52.03 |
| App. B, ' 3.060 | 52.03 |
| App. B, ' 3.070 | 52.03 |
| App. B, ' 3.080 | 52.03 |
| App. B, ' 3.090 | 52.03 |
| App. B, ' 3.100 | 52.03 |
| App. B, ' 3.110 | 52.03 |
| App. B, ' 3.120 | 52.03 |
| App. B, ' 3.130 | 52.03 |
| App. B, ' 4.000 | 52.04 |
| App. B, ' 4.010 | 52.04 |
| App. B, ' 4.020 | 52.04 |
| App. B, ' 4.030 | 52.04 |
| App. B, ' 4.040 | 52.04 |
| App. B, ' 4.050 | 52.04 |
| App. B, ' 4.060 | 52.04 |
| App. B, ' 4.070 | 52.04 |
| App. B, ' 4.080 | 52.04 |

Port Sanilac - Parallel References

| <i>1989 Code</i> | <i>2016 Code</i> |
|------------------|------------------|
| App. B, ' 4.090 | 52.04 |
| App. B, ' 4.100 | 52.04 |
| App. B, ' 5.000 | 52.05 |
| App. B, ' 6.000 | 52.06 |
| App. B, ' 7.000 | 52.07 |
| App. B, ' 7.010 | 52.07 |
| App. B, ' 8.000 | 10.99 |
| App. C, ' 1.000 | 51.015 |
| App. C, ' 1.010 | 51.016 |
| App. C, ' 1.020 | 51.017 |
| App. C, ' 1.030 | 51.018 |
| App. C, ' 1.040 | 51.019 |
| App. C, ' 1.060 | 51.020 |
| App. C, ' 2.010 | 51.035 |
| App. C, ' 2.020 | 51.036 |
| App. C, ' 2.030 | 51.037 |
| App. C, ' 3.010 | 51.050 |
| App. C, ' 3.020 | 51.051 |
| App. C, ' 3.030 | 51.052 |
| App. C, ' 3.040 | 51.053 |
| App. C, ' 4.010 | 51.065 |
| App. C, ' 4.020 | 51.066 |
| App. C, ' 4.030 | 51.067 |
| App. C, ' 4.040 | 51.068 |
| App. C, ' 4.050 | 51.069 |
| App. C, ' 4.060 | 51.070 |
| App. C, ' 4.070 | 51.071 |
| App. C, ' 4.080 | 51.072 |
| App. C, ' 4.090 | 51.073 |
| App. C, ' 4.100 | 51.074 |
| App. C, ' 4.110 | 51.075 |
| App. C, ' 5.010 | 51.090 |
| App. C, ' 5.020 | 51.091 |
| App. C, ' 5.030 | 51.092 |
| App. C, ' 5.040 | 51.093 |
| App. C, ' 5.050 | 51.094 |
| App. C, ' 5.060 | 51.095 |
| App. C, ' 5.070 | 51.096 |
| App. C, ' 5.080 | 51.097 |
| App. C, ' 6.010 | 51.110 |
| App. C, ' 6.020 | 51.111 |

References to 1989 Code

| <i>1989 Code</i> | <i>2016 Code</i> |
|------------------|------------------|
| App. C, ' 6.030 | 51.112 |
| App. C, ' 6.050 | 51.113 |
| App. C, ' 6.060 | 51.114 |
| App. C, ' 6.070 | 51.115 |
| App. C, ' 6.080 | 51.116 |
| App. C, ' 6.090 | 51.117 |
| App. C, ' 6.100 | 51.118 |
| App. C, ' 6.110 | 51.119 |
| App. C, ' 6.120 | 51.120 |
| App. C, ' 7.010 | 51.038 |
| App. C, ' 7.020 | 51.038 |
| App. C, ' 7.030 | 51.038 |
| App. C, ' 7.040 | 51.038 |
| App. C, ' 8.010 | 51.038 |
| App. C, ' 9.010 | 51.039 |
| App. C, ' 10.010 | 51.001 |
| App. C, ' 10.020 | 51.002 |
| App. C, ' 10.050 | 51.003 |
| App. C, ' 11.010 | 10.99 |

Port Sanilac - Parallel References